












































Picture/Ref.	Description	Application
 <p data-bbox="156 421 272 450"><u>16 05 080</u></p>	<p data-bbox="411 129 592 159"><u>Brake pad set</u></p> <p data-bbox="384 203 619 232">Lamda NO.: A856</p> <p data-bbox="432 277 571 306">Front Axle</p> <p data-bbox="376 309 627 338">Brake System: ATE</p> <p data-bbox="376 340 627 369">Width 1 : 155.1 mm</p> <p data-bbox="376 371 627 400">Width 2 : 156.3 mm</p> <p data-bbox="392 403 611 432">Height 1 : 70 mm</p> <p data-bbox="392 434 611 463">Height 2 : 76 mm</p> <p data-bbox="363 465 639 495">Thickness 1 : 20.4 mm</p> <p data-bbox="363 497 639 526">Thickness 2 : 19.7 mm</p>	<p data-bbox="671 219 879 248">OPEL <u>ASTRA H</u></p> <p data-bbox="671 250 943 280">OPEL <u>ASTRA H GTC</u></p> <p data-bbox="671 282 959 311">OPEL <u>ASTRA H Estate</u></p> <p data-bbox="671 313 927 342">OPEL <u>COMBO Tour</u></p> <p data-bbox="671 344 1066 374">OPEL <u>COMBO Box Body/Estate</u></p> <p data-bbox="671 376 1007 405">OPEL <u>CORSA C (F08, F68)</u></p> <p data-bbox="671 407 751 436">more...</p>
 <p data-bbox="156 792 268 822"><u>1605 021</u></p>	<p data-bbox="432 555 571 584"><u>Brake Pad</u></p> <p data-bbox="384 629 619 658">Lamda NO.: A204</p> <p data-bbox="432 703 571 732">Front Axle</p> <p data-bbox="416 734 587 763">Lucas Girling</p> <p data-bbox="400 766 603 795">Width : 104 mm</p> <p data-bbox="392 797 611 826">Height : 53.5 mm</p> <p data-bbox="376 828 627 857">Thickness : 16.0 mm</p>	<p data-bbox="671 636 1002 665">OPEL <u>CORSA B Box (73)</u></p> <p data-bbox="671 667 911 696">OPEL <u>TIGRA (95)</u></p> <p data-bbox="671 698 767 728">For use:</p> <p data-bbox="671 730 938 759">OPEL, VAUXHALL</p>
 <p data-bbox="156 1144 272 1173"><u>1605 113</u></p>	<p data-bbox="432 878 571 907"><u>Brake Pad</u></p> <p data-bbox="384 952 619 981">Lamda NO.: A579</p> <p data-bbox="432 1025 571 1055">Front Axle</p> <p data-bbox="472 1057 531 1086">ATE</p> <p data-bbox="376 1088 627 1117">Width 1 : 155.1 mm</p> <p data-bbox="376 1120 627 1149">Width 2 : 156.3 mm</p> <p data-bbox="384 1151 619 1180">Height 1 : 69.6 mm</p> <p data-bbox="384 1182 619 1211">Height 2 : 70.7 mm</p> <p data-bbox="376 1214 627 1243">Thickness : 20.1 mm</p>	<p data-bbox="671 958 863 987">OPEL <u>SIGNUM</u></p> <p data-bbox="671 990 895 1019">OPEL <u>VECTRA C</u></p> <p data-bbox="671 1021 959 1050">OPEL <u>VECTRA C GTS</u></p> <p data-bbox="671 1052 975 1081">OPEL <u>VECTRA C Estate</u></p> <p data-bbox="671 1084 767 1113">For use:</p> <p data-bbox="671 1115 1139 1144">FIAT, OPEL, SAAB, VAUXHALL</p>
 <p data-bbox="156 1520 272 1550"><u>9 200 108</u></p>	<p data-bbox="411 1258 592 1288"><u>Brake pad set</u></p> <p data-bbox="384 1332 619 1361">Lamda NO.: A337</p> <p data-bbox="432 1406 571 1435">Front Axle</p> <p data-bbox="464 1438 539 1467">Lucas</p> <p data-bbox="384 1469 619 1498">Width : 131.5 mm</p> <p data-bbox="384 1500 619 1529">Height 1 : 52.3 mm</p> <p data-bbox="384 1532 619 1561">Height 2 : 55.4 mm</p> <p data-bbox="384 1563 619 1592">Thickness : 17 mm</p>	<p data-bbox="671 1317 927 1346">OPEL <u>COMBO Tour</u></p> <p data-bbox="671 1348 1066 1377">OPEL <u>COMBO Box Body/Estate</u></p> <p data-bbox="671 1379 1007 1408">OPEL <u>CORSA C (F08, F68)</u></p> <p data-bbox="671 1411 1082 1440">OPEL <u>CORSA C Box (F08, W5L)</u></p> <p data-bbox="671 1442 863 1471">OPEL <u>MERIVA</u></p> <p data-bbox="671 1473 959 1503">OPEL <u>TIGRA TwinTop</u></p> <p data-bbox="671 1505 751 1534">more...</p>
 <p data-bbox="156 1856 272 1886"><u>9 194 893</u></p>	<p data-bbox="411 1617 592 1646"><u>Brake pad set</u></p> <p data-bbox="384 1691 619 1720">Lamda NO.: A654</p> <p data-bbox="432 1765 571 1794">Front axle</p> <p data-bbox="464 1796 539 1825">Bosch</p> <p data-bbox="384 1827 619 1856">Width : 130.7 mm</p> <p data-bbox="392 1859 611 1888">Height : 44.1 mm</p> <p data-bbox="376 1890 627 1919">Thickness : 15.5 mm</p>	<p data-bbox="671 1720 922 1749">OPEL <u>AGILA (H00)</u></p> <p data-bbox="671 1751 767 1780">For use:</p> <p data-bbox="671 1783 1075 1812">OPEL, SUZUKI, VAUXHALL</p>
	<p data-bbox="411 1953 592 1982"><u>Brake pad set</u></p> <p data-bbox="384 2027 619 2056">Lamda NO.: A207</p> <p data-bbox="432 2101 571 2130">Front Axle</p>	<p data-bbox="671 1939 1023 1968">OPEL <u>ASTRA G Convertible</u></p> <p data-bbox="671 1971 1050 2000">OPEL <u>ASTRA G Coupe (F07)</u></p> <p data-bbox="671 2002 1171 2031">OPEL <u>ASTRA G Hatchback (F48 , F08)</u></p> <p data-bbox="671 2033 1038 2063">OPEL <u>ASTRA G Estate (F35)</u></p> <p data-bbox="671 2065 943 2094">OPEL <u>ZAFIRA (F75)</u></p> <p data-bbox="671 2096 767 2125">For use:</p>













<p><u>48 39 924</u></p>	<p>Brake System: ATE Width : 156.3 mm Height : 74 mm Thickness : 20.3 mm</p>	<p>OPEL, SAAB, VAUXHALL</p>
 <p><u>1605 959</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A418</p> <p>Front Axle ATE</p> <p>Width 1 : 160 mm Height 1 : 63 mm Width 2 : 177.6 mm Height 2 : 62 mm Thickness : 18 mm</p>	<p>OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA G Box (F70)</u> more...</p>
 <p><u>9 201 354</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A536</p> <p>Rear Axle Brake System:ATE</p> <p>Width: 61.7 mm Height: 61.2 mm Thickness: 15.8 mm</p>	<p>OPEL <u>CALIBRA A (85)</u> OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>OMEGA B (25 , 26 , 27)</u> OPEL <u>OMEGA B Estate (21 , 22 , 23)</u> OPEL <u>SENATOR B (29)</u> more...</p>
 <p><u>1605 782</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A265</p> <p>Front Axle Lucas Girling</p> <p>Width : 129.7 mm Height : 63.8 mm Thickness : 18.3 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>OMEGA B (25 , 26 , 27)</u> OPEL <u>OMEGA B Estate (21 , 22 , 23)</u> OPEL <u>SENATOR B (29)</u> For use: OPEL, VAUXHALL</p>
 <p><u>701 698 451</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A610</p> <p>Rear Axle Lucas Girling</p> <p>Width : 94.7 mm Height : 50.9 mm Thickness : 16.5 mm</p>	<p>OPEL <u>VIVARO Combi (J7)</u> OPEL <u>VIVARO Box (F7)</u> For use: NISSAN, OPEL, RENAULT, SMART, VAUXHALL, VOLKS WAGEN</p>
 <p><u>1605 688</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A536</p> <p>Rear Axle ATE</p> <p>Width : 61.7 mm Height : 61.2 mm Thickness : 15.8 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> For use: OPEL, VAUXHALL</p>
 <p><u>1605 463</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A499</p> <p>Front Axle AC Delco</p>	<p>OPEL <u>ASCONA B (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA C (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA C Hatchback (84 , 89)</u> OPEL <u>CORSA A TR (91 , 92 , 96 , 97)</u> OPEL <u>CORSA A Hatchback (93 , 94 , 98 , 99)</u> OPEL <u>CORSA A Box</u> more...</p>








	<p>Width : 100 mm Height : 59 mm Thickness : 15.8 mm</p>	
 <p><u>1605 291</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A73</p> <p>Front Axle ATE</p> <p>Width : 76.7 mm Height : 65.7 mm Thickness : 16 mm</p>	<p>OPEL <u>ASCONA B (81 , 86 , 87 , 88)</u> OPEL <u>KADETT C</u> OPEL <u>KADETT C City</u> OPEL <u>KADETT C Coupe</u> OPEL <u>KADETT C Estate</u> OPEL <u>MANTA B (58 , 59)</u> more...</p>
 <p><u>1605 810</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A440</p> <p>Front Axle ATE</p> <p>Width : 140.1 mm Height : 58.2 mm Thickness: 16.5 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Van (55)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> more...</p>
 <p><u>1605 848</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A477</p> <p>Front Axle Brake System: Sumitomo</p> <p>Width : 137.6 mm Height : 58.5 mm Thickness : 16.5 mm</p>	<p>OPEL <u>FRONTERA A (5 MWL4)</u> OPEL <u>FRONTERA A Sport (5 SUD2)</u> OPEL <u>FRONTERA B (6B)</u> OPEL <u>MONTEREY A (UBS)</u> OPEL <u>MONTEREY B</u> For use: ISUZU, OPEL, VAUXHALL</p>
 <p><u>44 83 723</u></p>	<p><u>Brake pad set</u></p> <p>Lamda NO.: A584</p> <p>Front Axle ATE</p> <p>Width : 155.1 mm Height : 60.7 mm Thickness : 18.3 mm</p>	<p>OPEL <u>CALIBRA A (85)</u> OPEL <u>OMEGA B (25 , 26 , 27)</u> OPEL <u>OMEGA B Estate (21 , 22 , 23)</u> OPEL <u>VECTRA A (86 , 87)</u> OPEL <u>VECTRA A Hatchback (88 , 89)</u> For use: OPEL, SAAB, VAUXHALL</p>
 <p><u>1605 825</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A558</p> <p>Front Axle Brake System : Akebono</p> <p>Width : 126 mm Height : 50.8 mm Thickness : 16.5 mm</p>	<p>OPEL <u>CAMPO (TF)</u> OPEL <u>FRONTERA A (5 MWL4)</u> OPEL <u>FRONTERA A Sport (5 SUD2)</u> For use: FORD, ISUZU, OPEL, VAUXHALL</p>
 <p><u>1605 079</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A578</p> <p>Front Axle ATE</p> <p>Width 1 : 155.1 mm Height 1 : 74.5 mm</p>	<p>OPEL <u>SIGNUM</u> OPEL <u>VECTRA C</u> OPEL <u>VECTRA C GTS</u> OPEL <u>VECTRA C Estate</u> For use: OPEL, SAAB, VAUXHALL</p>









	Width 2 : 156.4 mm Height 2 : 77.6 mm Thickness : 20.6 mm	
  <u>16 05 035</u>	<u>Brake Pad</u> Lamda NO.: A429 Front Axle Brake System: ATE Width 1 : 155.1 mm Width 2 : 156.3 mm Height 1 : 71.5 mm Height 2 : 78.5 mm Thickness 1 : 20.3 mm Thickness 2 : 19.6 mm	OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA G Box (F70)</u> more...
  <u>94 130 145</u>	<u>Brake Pad</u> Lamda NO.: A288 Front Axle Brake System: SUM Width: 133.2 mm Height: 47 mm Thickness: 15.5 mm	ISUZU, OPEL, VAUXHALL
  <u>44 03 271</u>	<u>Brake Pad</u> Lamda NO.: A644 Front Axle Brake System: BNX Width: 155.7 mm Height: 56.6 mm Thickness: 18.5 mm	OPEL <u>ARENA Combi (THB)</u> OPEL <u>ARENA Box (TB, TF)</u> For use: OPEL, RENAULT, VAUXHALL
  <u>1802 4962</u>	<u>Brake Pad</u> Lamda NO.: A522 Front Axle Brake System: WAG Width: 147.9 mm Height: 61.1 mm Thickness: 18 mm	OPEL <u>SINTRA</u> For use: CADILLAC, CHEVROLET, OPEL, PONTIAC
  <u>1251 0016</u>	<u>Brake Pad</u> Lamda NO.: A486 Rear Axle Brake System:AKB Width: 108 mm Height: 41 mm Thickness: 15 mm	OPEL <u>SINTRA</u> For use: CADILLAC, CHEVROLET, OPEL
  <u>16 05 979</u>	<u>Brake Pad</u> Lamda NO.: A236 Front Axle Brake System: BNX	OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: OPEL, RENAULT, VAUXHALL








	Width: 138.65 mm Height: 66.35 mm Thickness: 18 mm	
 41060-00QAE	<u>Brake Pad</u> Lamda NO.: A542 Front Axle Brake System: GRL Width: 144.95 mm Height: 62.37 mm Thickness: 18.4 mm	OPEL <u>VIVARO Combi (J7)</u> OPEL <u>VIVARO Box (F7)</u> For use: NISSAN, OPEL, RENAULT
 77 01 207 339	<u>Brake Pad</u> Lamda NO.: A754 Front Axle Brake System: BOS Width: 138.8 mm Height: 79.79 mm Thickness: 17.8 mm	OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: NISSAN, OPEL, RENAULT, VAUXHALL
 44060-00QAE	<u>Brake Pad</u> Lamda NO.: A755 Rear Axle Brake System: BOS Width: 115.7 mm Height: 51.31 mm Thickness: 16.8 mm	OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: NISSAN, OPEL, RENAULT, VAUXHALL
 0060 713 601 00	<u>Brake Pad</u> Lamda NO.: A553 Front Axle Brake System: ATE Width: 76.5 mm Height: 69.6 mm Thickness: 15 mm	OPEL <u>ADMIRAL A</u> OPEL <u>ADMIRAL B</u> OPEL <u>COMMODORE A</u> OPEL <u>COMMODORE A Coupe</u> OPEL <u>COMMODORE B</u> OPEL <u>COMMODORE B Coupe</u> more...
 0060 712 608	<u>Brake Pad</u> Lamda NO.: LD0538 Rear Axle Brake System: ATE Width: 55.7 mm Height: 53 mm Thickness: 15 mm	OPEL <u>KADETT B</u> OPEL <u>KADETT B Coupe</u> OPEL <u>KADETT B Estate</u> For use: ALFA ROMEO, BMW, MASERATI, NISSAN, OPEL, PORSCHE, S AAB, VOLKSWAGEN, VOLVO
 0060 526 040	<u>Brake Pad</u> Lamda NO.: A225 Front Axle Brake System: ATE Width: 61.55 mm Height: 56.55 mm Thickness: 15 mm	OPEL <u>ASCONA A (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA A Voyage (84 , 89)</u> OPEL <u>KADETT B</u> OPEL <u>KADETT B Coupe</u> OPEL <u>KADETT C</u> OPEL <u>KADETT C City</u> more...



 <p>4250.41</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A365</p> <p>Front Axle Brake System: GRL Width: 99.95 mm Height: 63.47 mm Thickness: 18.2 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> For use: OPEL、 PEUGEOT、 RENAULT</p>
 <p>16 05 693</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A762</p> <p>Rear Axle Brake System: ATE Width: 61.5 mm Height: 57.30 mm Thickness: 15.7 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>ASTRA F Estate (51 , 52)</u> OPEL <u>CALIBRA A (85)</u> OPEL <u>KADETT E (39 , 49)</u> more...</p>
 <p>16 05 612</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: LD0099</p> <p>Front Axle Brake System: ATE Width: 111.9 mm Height: 59.8 mm Thickness: 17.5 mm</p>	<p>OPEL <u>MONZA A (22)</u> OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>SENATOR A (29)</u> OPEL <u>SENATOR B (29)</u> For use: OPEL、 VAUXHALL</p>
 <p>90 349 447 8</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A440</p> <p>Front Axle Brake System: ATE Width: 140 mm Height: 48.23 mm Thickness: 17.3 mm</p>	<p>OPEL <u>CORSA B (73 , 78 , 79 , F35)</u> OPEL <u>CORSA B Box (73)</u> For use: OPEL</p>
 <p>16 05 731</p>	<p><u>Brake Pad</u></p> <p>Front Axle Brake System: DLM Width: 100 mm Height: 59 mm Thickness: 15.4 mm</p>	<p>OPEL <u>OMEGA A Estate (66 , 67)</u> For use: OPEL、 VAUXHALL</p>
 <p>0060 717 131 43</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: SA196</p> <p>Front Axle Brake System: ATE Width: 155.15 mm Height: 61.69 mm Thickness: 19.3mm</p>	<p>OPEL <u>MANTA B CC (53 , 55)</u> For use: ALFA ROMEO、 FIAT、 LANCIA、 OPEL</p>
	<p><u>Brake Pad</u></p> <p>Lamda NO.: A207</p> <p>Front Axle</p>	<p>OPEL <u>CALIBRA A (85)</u> OPEL <u>VECTRA B (36)</u> OPEL <u>VECTRA B Hatchback (38)</u> OPEL <u>VECTRA B Estate (31)</u> For use:</p>





<p><u>16 05 036</u></p>	<p>Brake System: ATE Width : 156.3 mm Height : 74 mm Thickness : 20.3 mm</p>	<p>OPEL, SAAB, VAUXHALL</p>
  <p><u>16 05 089</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A566</p> <p>Front Axle Brake System: ATE Width: 156.25 mm Height: 52.5 mm Thickness: 18 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>ASTRA F Estate (51 , 52)</u> more...</p>
  <p><u>16 05 025</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A431</p> <p>Rear Axle Brake System: BOS Width: 104.7 mm Height: 42.7 mm Thickness: 16.9 mm</p>	<p>OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA G Box (F70)</u> more...</p>
  <p><u>5028740034814</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A779</p> <p>Rear Axle Brake System: GRL Width: 87.17 mm Height: 44.3 mm Thickness: 14.7 mm</p>	<p>OPEL <u>MANTA B CC (53 , 55)</u> For use: ALFA ROMEO, FIAT, LANCIA, OPEL</p>
  <p><u>16 05 002</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A477</p> <p>Front Axle Brake System: AKB Width: 137.7 mm Height: 58.5 mm Thickness: 16.5 mm</p>	<p>OPEL <u>FRONTERA B (6B)</u> For use: OPEL, VAUXHALL</p>
  <p><u>1104 6152</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A566</p> <p>Front Axle Brake System: ATE Width: 156.25 mm Height: 52.49 mm Thickness: 17.5 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Van (55)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> more...</p>
  <p><u>A117J0084S</u></p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A73</p> <p>Front Axle Brake System: ATE Width: 76.7 mm Height: 65.2 mm</p>	<p>OPEL <u>SPEEDSTER</u> For use: OPEL, VAUXHALL</p>




	Thickness: 14.4 mm	
 <p>A117J0085S</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A397</p> <p>Rear Axle Brake System:BRB Width: 125.8 mm Height: 58.3 mm Thickness: 12.9 mm</p>	<p>OPEL <u>SPEEDSTER</u></p> <p>For use: OPEL、VAUXHALL</p>
 <p>16 05 965</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: SA219</p> <p>Rear Axle Brake System:GRL Width: 95.55 mm Height: 43.9 mm Thickness: 14 mm</p>	<p>OPEL <u>CORSA C (F08, F68)</u></p> <p>OPEL <u>TIGRA TwinTop</u></p> <p>For use: OPEL、VAUXHALL</p>
 <p>16 05 974</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A337</p> <p>Front Axle Brake System: GRL Width: 131.50 mm Height: 52.55 mm Thickness: 17 mm</p>	<p>OPEL <u>COMBO Tour</u></p> <p>OPEL <u>COMBO Box Body/Estate</u></p> <p>OPEL <u>CORSA C (F08, F68)</u></p> <p>OPEL <u>CORSA C Box (F08, W5L)</u></p> <p>OPEL <u>MERIVA</u></p> <p>OPEL <u>TIGRA TwinTop</u></p> <p><u>more...</u></p>
 <p>16 05 086</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A384</p> <p>Rear Axle Brake System:TRW Width: 95 mm Height: 42.47 mm Thickness: 15.2 mm</p>	<p>OPEL <u>ASTRA G Saloon (F69)</u></p> <p>OPEL <u>ASTRA G Convertible</u></p> <p>OPEL <u>ASTRA G Coupe (F07)</u></p> <p>OPEL <u>ASTRA G Hatchback (F48 , F08)</u></p> <p>OPEL <u>ASTRA G Estate (F35)</u></p> <p>OPEL <u>ASTRA G Box (F70)</u></p> <p><u>more...</u></p>
 <p>5W93-2200-AA</p>	<p><u>Brake Pad</u></p> <p>Lamda NO.: A121</p> <p>Rear Axle Brake System : ATE Width : 123.1 mm Height : 52 mm Thickness : 16.6 mm</p>	<p>OPEL <u>SIGNUM</u></p> <p>OPEL <u>VECTRA C</u></p> <p>OPEL <u>VECTRA C GTS</u></p> <p>OPEL <u>VECTRA C Estate</u></p> <p>For use: FORD、JAGUAR、LAND ROVER、MAZDA、OPEL、RENAULT、SAAB、VAUXHALL、 VOLVO</p>
 <p>16 05 195</p>	<p><u>Brake Pad</u></p> <p>Front Axle Brake System: ATE Width: 155.15 mm Height: 72.86 mm Thickness: 18.5 mm</p>	<p>OPEL <u>VECTRA C</u></p> <p>OPEL <u>VECTRA C GTS</u></p> <p>OPEL <u>VECTRA C Estate</u></p> <p>For use: OPEL、VOLVO</p>
	<p><u>Brake Pad</u></p> <p>Lamda NO.: SA286</p>	<p>OPEL <u>AGILA (H00)</u></p> <p>For use: OPEL、SUBARU、SUZUKI、VAUXHALL</p>






 <p>47 06 835</p>	<p>Front Axle Brake System: BOS Width: 130.7 mm Height: 43.93 mm Thickness: 16 mm</p>	
 <p>7 736 395 9</p>	<p>Brake Pad</p> <p>Lamda NO.: SA292</p> <p>Rear Axle Brake System: BOS Width: 101.7 mm Height: 47.35 mm Thickness: 17.2 mm</p>	<p>OPEL <u>CORSA D</u> For use: FIAT、 OPEL、 VAUXHALL</p>
 <p>96 626 076</p>	<p>Brake Pad</p> <p>Lamda NO.: A229S</p> <p>Rear Axle Brake System: MAN Width: 110.4 mm Height: 45.8 mm Thickness: 15 mm</p>	<p>OPEL <u>ANTARA</u> For use: CHEVROLET、 OPEL、 VAUXHALL</p>
 <p>96626070</p>	<p>Brake Pad</p> <p>Lamda NO.: A899</p> <p>Front Axle Brake System: Mando Width: 149 mm Height: 62.2 mm Thickness: 17.2 mm</p>	<p>OPEL <u>ANTARA</u> For use: CHEVROLET、 OPEL、 VAUXHALL</p>
 <p>16 05 355</p>	<p>Brake Pad</p> <p>Front Axle Brake System : BOSCH Width : 150.8 mm Height : 54.9 mm Thickness : 19 mm</p>	<p>OPEL <u>CORSA D</u> For use: OPEL、 VAUXHALL</p>
 <p>16 05 353</p>	<p>Brake Pad</p> <p>Lamda NO.: A292</p> <p>Front Axle Brake System: BOS Width: 122.70 mm Height: 53.2 mm Thickness: 17.8 mm</p>	<p>OPEL <u>CORSA D</u> For use: FIAT、 OPEL、 VAUXHALL</p>
 <p>16 05 354</p>	<p>Brake Pad</p> <p>Front Axle Brake System: BOS Width: 136.9 mm Height: 57.4 mm Thickness: 19.6 mm</p>	<p>OPEL <u>CORSA D</u> For use: OPEL、 VAUXHALL</p>
	<p>Brake Pad Set</p>	<p>OPEL <u>INSIGNIA</u> OPEL <u>INSIGNIA Saloon</u></p>




 <p>13237751</p>	<p>Front Axle Brake System : Mando Width : 142 mm Height : 66.7 mm Thickness : 19.1 mm</p>	<p>For use: OPEL</p>
 <p>MDB2867</p>	<p><u>Brake Pad Set</u> Rear Axle Brake System : TRW Width : 106.6 mm Height : 47.1 mm Thickness : 16.7 mm</p>	<p>OPEL <u>INSIGNIA</u> OPEL <u>INSIGNIA Saloon</u> For use: OPEL</p>
 <p>13237750</p>	<p><u>Brake Pad Set</u> Front Axle Brake System : Mando Width : 131.4 mm Height : 59.7 mm Thickness : 19.1 mm</p>	<p>OPEL <u>INSIGNIA</u> OPEL <u>INSIGNIA Saloon</u> For use: OPEL</p>
 <p>MDB2871</p>	<p><u>Brake Pad Set</u> Front Axle Brake System : TRW Width : 184.5 mm Height : 66.1 mm Thickness : 17.2 mm</p>	<p>OPEL <u>INSIGNIA</u> OPEL <u>INSIGNIA Saloon</u> For use: OPEL</p>
 <p>9 196 592</p>	<p><u>Brake Disc</u> Lamda NO.: DS130 Rear Axle No. of holes 4 Outer 240 mm Thickness 10,2 mm Minimum Thickness 8,2 mm Center 57 mm</p>	<p>OPEL <u>CORSA C (F08, F68)</u> OPEL <u>TIGRA TwinTop</u> For use: OPEL, VAUXHALL</p>
 <p>9 196 587</p>	<p><u>Brake Disc</u> Lamda NO.: DS131 Rear Axle No. of holes 4 Outer 240 mm Thickness 10 mm Minimum Thickness 8 mm Center 57 mm</p>	<p>OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA G Box (F70)</u> more...</p>
 <p>9 194 477</p>	<p><u>Brake Disc</u> Lamda NO.: DS132 Front Axle Ventilated No. of holes 5 Outer 308 mm Thickness 25 mm</p>	<p>OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA H</u> OPEL <u>ASTRA H GTC</u> OPEL <u>ASTRA H Estate</u> more...</p>






	Minimum Thickness 23 mm Center 70 mm	
<input type="checkbox"/> No img <u>9 160 398</u>	<u>Brake Disc</u> Lamda NO.: DS133 Front Axle Ventilated No. of holes 5 Outer ? 280 mm Thickness 24 mm Minimum Thickness 21 mm Center ? 79,5 mm	OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: NISSAN、 OPEL、 RENAULT、 VAUXHALL
<input type="checkbox"/>  <u>9 117 772</u>	<u>Brake Disc</u> Lamda NO.: DS134 Rear Axle No. of holes 5 Outer 264 mm Thickness 9,8 mm Minimum Thickness 8 mm Center 65,5 mm	OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA G Box (F70)</u> more...
<input type="checkbox"/>  <u>9 117 678</u>	<u>Brake Disc</u> Lamda NO.: DS135 Front Axle Ventilated No. of holes 5 Outer ? 280 mm Thickness 24 mm Minimum Thickness 22 mm Center ? 70 mm	OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> OPEL <u>ASTRA G Box (F70)</u> more...
<input type="checkbox"/> No img <u>9 111 045</u>	<u>Brake Disc</u> Lamda NO.: DS136 Rear Axle No. of holes 5 Outer 305 mm Thickness 12,0 mm Minimum Thickness 10,5 mm Center 90 mm	OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: NISSAN、 OPEL、 RENAULT、 VAUXHALL
<input type="checkbox"/> No img <u>9 111 038</u>	<u>Brake Disc</u> Lamda NO.: DS137 Front Axle Ventilated No. of holes 5 Outer 305,5 mm Thickness 28 mm	OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: NISSAN、 OPEL、 RENAULT、 VAUXHALL




	Minimum Thickness 25 mm Center 90 mm	
<input type="checkbox"/> No img <u>4700 711</u>	<u>Brake Disc</u> Lamda NO.: DS228 Front Axle No. of holes 4 Outer 247 mm Thickness 12 mm Minimum Thickness 10,5 mm Center 60 mm	OPEL <u>AGILA (H00)</u> For use: OPEL, SUZUKI, VAUXHALL
<input type="checkbox"/>  <u>45 65 693</u>	<u>Brake Disc</u> Lamda NO.: DS234 Rear Axle No. of holes 5 Outer 286 mm Thickness 10 mm Minimum Thickness 8 mm Center 65,5 mm	OPEL <u>VECTRA B (36)</u> OPEL <u>VECTRA B Hatchback (38)</u> OPEL <u>VECTRA B Estate (31)</u> For use: OPEL, SAAB, VAUXHALL
<input type="checkbox"/>  <u>42 41 428</u>	<u>Brake Disc</u> Lamda NO.: DS256 Front Axle Ventilated No. of holes 5 Outer 284 mm Thickness 24 mm Minimum Thickness 21 mm Center 70 mm	OPEL <u>CALIBRA A (85)</u> OPEL <u>VECTRA A (86 , 87)</u> OPEL <u>VECTRA A Hatchback (88 , 89)</u> For use: OPEL, SAAB, VAUXHALL
<input type="checkbox"/>  <u>0569 209</u>	<u>Brake Disc</u> Lamda NO.: DS380 Rear Axle No. of holes 4 Outer 270 mm Thickness 10 mm Minimum Thickness 8 mm Center 57 mm	OPEL <u>VECTRA B (36)</u> OPEL <u>VECTRA B Hatchback (38)</u> OPEL <u>VECTRA B Estate (31)</u> For use: OPEL
<input type="checkbox"/>  <u>0569 208</u>	<u>Brake Disc</u> Lamda NO.: DS381 Rear Axle Ventilated No. of holes 5 Outer 286 mm Thickness 12 mm Minimum Thickness 10	OPEL <u>OMEGA B (25 , 26 , 27)</u> OPEL <u>OMEGA B Estate (21 , 22 , 23)</u> OPEL <u>SENATOR B (29)</u> For use: OPEL






	<p style="text-align: center;">mm Center 65,5 mm</p>	
<p style="text-align: center;"><input type="checkbox"/></p>  <p style="text-align: center;"><u>0569 206</u></p>	<p style="text-align: center;"><u>Brake Disc</u></p> <p>Lamda NO.: DS382</p> <p style="text-align: center;">Rear Axle No. of holes 4 Outer 260 mm Thickness 10 mm Minimum Thickness 8 mm Center 57 mm</p>	<p>OPEL <u>VECTRA A (86 , 87)</u> OPEL <u>VECTRA A Hatchback (88 , 89)</u> For use: OPEL</p>
<p style="text-align: center;"><input type="checkbox"/></p>  <p style="text-align: center;"><u>0569 204</u></p>	<p style="text-align: center;"><u>Brake Disc</u></p> <p>Lamda NO.: DS383</p> <p style="text-align: center;">Rear Axle No. of holes 4 Outer 261 mm Thickness 10 mm Minimum Thickness 8 mm Center 39,8 mm</p>	<p>OPEL <u>KADETT E (39 , 49)</u> OPEL <u>KADETT E Convertible (43B)</u> OPEL <u>KADETT E Hatchback (33 , 34 , 43 , 44)</u> OPEL <u>KADETT E Estate (35 , 36 , 45 , 46)</u> OPEL <u>VECTRA A (86 , 87)</u> For use: OPEL</p>
<p style="text-align: center;"><input type="checkbox"/></p>  <p style="text-align: center;"><u>0569 115</u></p>	<p style="text-align: center;"><u>Brake Disc</u></p> <p>Lamda NO.: DS384</p> <p style="text-align: center;">Rear Axle No. of holes 5 Outer 278 mm Thickness 12 mm Minimum Thickness 10 mm Center 65,5 mm</p>	<p>OPEL <u>SIGNUM</u> OPEL <u>VECTRA C</u> OPEL <u>VECTRA C GTS</u> OPEL <u>VECTRA C Estate</u> For use: OPEL、 SAAB</p>
<p style="text-align: center;"><input type="checkbox"/></p> <p style="text-align: center;">No img</p> <p style="text-align: center;"><u>0569 114</u></p>	<p style="text-align: center;"><u>Brake Disc</u></p> <p>Lamda NO.: DS385</p> <p style="text-align: center;">Rear Axle Ventilated No. of holes 5 Outer 292 mm Thickness 20 mm Minimum Thickness 18 mm Center 65,5 mm</p>	<p>OPEL <u>SIGNUM</u> OPEL <u>VECTRA C</u> OPEL <u>VECTRA C GTS</u> OPEL <u>VECTRA C Estate</u> For use: OPEL、 SAAB</p>
<p style="text-align: center;"><input type="checkbox"/></p> <p style="text-align: center;">No img</p> <p style="text-align: center;"><u>0569 104</u></p>	<p style="text-align: center;"><u>Brake Disc</u></p> <p>Lamda NO.: DS386</p> <p style="text-align: center;">Rear Axle Ventilated No. of holes 5 Outer 313 mm Thickness 18 mm Minimum Thickness 16,6 mm</p>	<p>OPEL <u>FRONTERA A (5_MWL4)</u> OPEL <u>FRONTERA A Sport (5_SUD2)</u> For use: OPEL</p>








	Center 101 mm	
 <p><u>0569 102</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS387</p> <p>Rear Axle No. of holes 4 Outer 270 mm Thickness 10 mm Minimum Thickness 8 mm Center 57 mm</p>	<p>OPEL <u>CALIBRA A (85)</u> OPEL <u>VECTRA A (86 , 87)</u> For use: OPEL</p>
 <p><u>0569 101</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS388</p> <p>Rear Axle No. of holes 5 Outer 270 mm Thickness 10 mm Minimum Thickness 8 mm Center 65,5 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>SENATOR B (29)</u> For use: OPEL</p>
 <p><u>0569 059</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS389</p> <p>Front Axle Ventilated No. of holes 4 Outer 256 mm Thickness 24 mm Minimum Thickness 21 mm Center 60 mm</p>	<p>OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Convertible</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> more...</p>
 <p><u>0569 058</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS390</p> <p>Front Axle No. of holes 4 Outer 256 mm Thickness 11 mm Minimum Thickness 8 mm Center 60 mm</p>	<p>OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> OPEL <u>ASTRA G Estate (F35)</u> For use: OPEL</p>
 <p><u>0569 056</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS391</p> <p>Front Axle Ventilated No. of holes 5 Outer 288 mm Thickness 25 mm Minimum Thickness 23 mm Center 70 mm</p>	<p>OPEL <u>CALIBRA A (85)</u> OPEL <u>VECTRA B (36)</u> OPEL <u>VECTRA B Hatchback (38)</u> OPEL <u>VECTRA B Estate (31)</u> For use: OPEL、 SAAB</p>









 <p>0569 055</p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS392</p> <p>Front Axle Ventilated No. of holes 4 Outer 256 mm Thickness 20 mm Minimum Thickness 17 mm Center 60 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>ASTRA F Estate (51 , 52)</u> OPEL <u>CORSA B (73 , 78 , 79 , F35)</u> OPEL <u>TIGRA (95)</u> more...</p>
 <p>0569 053</p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS393</p> <p>Front Axle Ventilated No. of holes 5 Outer 286 mm Thickness 24 mm Minimum Thickness 21 mm Center 70 mm</p>	<p>OPEL <u>OMEGA B (25 , 26 , 27)</u> OPEL <u>OMEGA B Estate (21 , 22 , 23)</u> For use: OPEL</p>
<p>No img</p> <p>0569 050</p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS394</p> <p>Front Axle Ventilated No. of holes 6 Outer ? 280 mm Thickness 26 mm Minimum Thickness 24,6 mm Center ? 88 mm</p>	<p>OPEL <u>FRONTERA A (5 MWL4)</u> OPEL <u>FRONTERA A Sport (5 SUD2)</u> OPEL <u>FRONTERA B (6B)</u> OPEL <u>MONTEREY A (UBS)</u> OPEL <u>MONTEREY B</u> For use: OPEL</p>
 <p>0569 044</p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS395</p> <p>Front Axle Ventilated No. of holes 5 Outer 296 mm Thickness 28 mm Minimum Thickness 25 mm Center 70 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>OMEGA B (25 , 26 , 27)</u> OPEL <u>OMEGA B Estate (21 , 22 , 23)</u> OPEL <u>SENATOR B (29)</u> For use: OPEL</p>
<p>No img</p> <p>0569 040</p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS396</p> <p>Front Axle No. of holes 5 Outer 258 mm Thickness 12,6 mm Minimum Thickness 9,7 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>VECTRA B (36)</u> OPEL <u>VECTRA B Hatchback (38)</u> OPEL <u>VECTRA B Estate (31)</u> For use: OPEL</p>




	Center 70 mm	
 <p><u>0569 039</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS397</p> <p>Front Axle Ventilated No. of holes 5 Outer 258 mm Thickness 24 mm Minimum Thickness 21 mm Center 70 mm</p>	<p>OPEL <u>OMEGA A (16 , 17 , 19)</u> OPEL <u>OMEGA A Estate (66 , 67)</u> OPEL <u>VECTRA B (36)</u> OPEL <u>VECTRA B Hatchback (38)</u> OPEL <u>VECTRA B Estate (31)</u> For use: OPEL</p>
 <p><u>0569 031</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS398</p> <p>Front Axle Ventilated No. of holes 4 Outer 236 mm Thickness 20 mm Minimum Thickness 17 mm Center 60 mm</p>	<p>OPEL <u>CORSA A Hatchback (93 , 94 , 98 , 99)</u> OPEL <u>CORSA B (73 , 78 , 79 , F35)</u> OPEL <u>KADETT E (39 , 49)</u> OPEL <u>KADETT E Combo (38 , 48)</u> OPEL <u>KADETT E Convertible (43B)</u> OPEL <u>KADETT E Hatchback (33 , 34 , 43 , 44)</u> more...</p>
 <p><u>0569 030</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS399</p> <p>Front Axle No. of holes 4 Outer 236 mm Thickness 12,7 mm Minimum Thickness 9,7 mm Center 60 mm</p>	<p>OPEL <u>ASCONA C (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA C Hatchback (84 , 89)</u> OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Van (55)</u> more...</p>
 <p><u>0569 021</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS400</p> <p>Front Axle Ventilated No. of holes 4 Outer 240 mm Thickness 20 mm Minimum Thickness 17 mm Center 60 mm</p>	<p>OPEL <u>CORSA C (F08, F68)</u> For use: OPEL</p>
 <p><u>0569 020</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS401</p> <p>Front Axle No. of holes 4 Outer 240 mm Thickness 10 mm Minimum Thickness 8 mm</p>	<p>OPEL <u>CORSA C (F08, F68)</u> OPEL <u>CORSA C Box (F08, W5L)</u> For use: OPEL</p>

	Center 60 mm	
 <p><u>0569 019</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS402</p> <p>Front Axle Ventilated No. of holes 5 Outer 278 mm Thickness 32 mm Minimum Thickness 30.7 mm Center 70.6 mm</p>	<p>OPEL <u>SINTRA</u></p> <p>For use: OPEL</p>
 <p><u>0569 017</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS403</p> <p>Front Axle No. of holes 4 Outer 236 mm Thickness 10 mm Minimum Thickness 7 mm Center 60 mm</p>	<p>OPEL <u>CORSA A Hatchback (93 , 94 , 98 , 99)</u></p> <p>OPEL <u>KADETT D (31 -34 , 41 -44)</u></p> <p>OPEL <u>KADETT D Estate (35 , 36 , 45 , 46)</u></p> <p>OPEL <u>KADETT E (39 , 49)</u></p> <p>OPEL <u>KADETT E Combo (38 , 48)</u></p> <p>OPEL <u>KADETT E Convertible (43B)</u></p> <p>more...</p>
<p>No img</p> <p><u>0569 007</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS404</p> <p>Front Axle Ventilated No. of holes 4 Outer 280 mm Thickness 25 mm Minimum Thickness 23 mm Center 60 mm</p>	<p>OPEL <u>ASTRA H</u></p> <p>OPEL <u>ASTRA H GTC</u></p> <p>OPEL <u>ASTRA H Estate</u></p> <p>For use: OPEL</p>
<p>No img</p> <p><u>0569 006</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS405</p> <p>Front Axle Ventilated No. of holes 4 Outer 280 mm Thickness 25 mm Minimum Thickness 23 mm Center 60 mm</p>	<p>OPEL <u>MERIVA</u></p> <p>For use: OPEL</p>
 <p><u>0569 004</u></p>	<p><u>Brake Disc</u></p> <p>Lamda NO.: DS406</p> <p>Front Axle Ventilated No. of holes 5 Outer 302 mm Thickness 28 mm Minimum Thickness 25</p>	<p>OPEL <u>SIGNUM</u></p> <p>OPEL <u>VECTRA C</u></p> <p>OPEL <u>VECTRA C GTS</u></p> <p>OPEL <u>VECTRA C Estate</u></p> <p>For use: OPEL、 SAAB</p>

	mm Center 70 mm	
 <p>0569 003</p>	<p>Brake Disc</p> <p>Lamda NO.: DS407</p> <p>Front Axle Ventilated No. of holes 5 Outer 285 mm Thickness 25 mm Minimum Thickness 22 mm Center 70 mm</p>	<p>OPEL <u>SIGNUM</u> OPEL <u>VECTRA C</u> OPEL <u>VECTRA C GTS</u> OPEL <u>VECTRA C Estate</u> For use: OPEL、 SAAB</p>
 <p>05 69 000</p>	<p>Brake Disc</p> <p>Lamda NO.: DS430</p> <p>Diameter: 260 mm, Br. Disc Thickness : 24,0 mm, Min. thickness : 21 mm, Brake Disc Type : Vented, Alloyed, Num. of holes : 6</p>	<p>OPEL <u>COMBO Tour</u> OPEL <u>COMBO Box Body/Estate</u> OPEL <u>CORSA C (F08, F68)</u> OPEL <u>CORSA C Box (F08, W5L)</u> OPEL <u>MERIVA</u> OPEL <u>TIGRA TwinTop</u> more...</p>
 <p>05 69 001</p>	<p>Brake Disc</p> <p>Lamda NO.: DS431</p> <p>Diameter: 256 mm Br. Disc Thickness : 24.0 mm Min. thickness : 21 mm Brake Disc Type : Vented, Alloyed Num. of holes : 4</p>	<p>OPEL <u>ASCONA C (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA C Hatchback (84 , 89)</u> OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Van (55)</u> more...</p>
 <p>94172376</p>	<p>Brake Disc</p> <p>Lamda NO.: DS571</p> <p>Front Axle Height : 36.5 mm Diameter : 287 mm Pitch Circle Diameter : 88 mm Brake Disc Thickness : 22.0 mm Minimum Thickness : 20.6 mm Num. of holes : 6 Internally Vented</p>	<p>OPEL <u>CAMPO (TF)</u> OPEL <u>FRONTERA A (5 MWL4)</u> OPEL <u>FRONTERA A Sport (5 SUD2)</u> For use: ISUZU、 OPEL、 VAUXHALL</p>
 <p>97034035</p>	<p>Brake Disc</p> <p>Lamda NO.: DS576</p> <p>Front Axle Height : 36 mm Diameter : 280 mm Pitch Circle Diameter :</p>	<p>OPEL <u>FRONTERA A (5 MWL4)</u> OPEL <u>FRONTERA A Sport (5 SUD2)</u> OPEL <u>FRONTERA B (6B)</u> OPEL <u>MONTEREY B</u> For use: OPEL、 VAUXHALL</p>

	<p>87.8 mm Brake Disc Thickness : 26.0 mm Minimum Thickness : 24.6 mm Num. of holes : 6 Internally Vented</p>	
 <p>1605 689</p>	<p><u>Brake Shoe Kit</u> Lamda NO.: SG014 Rear Axle Diameter : 200 mm Width : 45 mm</p>	<p>OPEL <u>ASCONA C (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA C Hatchback (84 , 89)</u> OPEL <u>KADETT D (31 -34 , 41 -44)</u> OPEL <u>KADETT D (32 ,37 ,39 , 42)</u> OPEL <u>KADETT D Estate (35 , 36 , 45 , 46)</u> OPEL <u>KADETT E (39 , 49)</u> more...</p>
 <p>160 674</p>	<p><u>Brake Shoe Kit</u> Lamda NO.: SG030 Rear Axle Diameter : 200 mm Width : 29 mm</p>	<p>OPEL <u>CORSA A TR (91 , 92 , 96 , 97)</u> OPEL <u>CORSA A Hatchback (93 , 94 , 98 , 99)</u> OPEL <u>CORSA A Box</u> OPEL <u>KADETT D (31 -34 , 41 -44)</u> OPEL <u>KADETT D (32 ,37 ,39 , 42)</u> OPEL <u>KADETT D Estate (35 , 36 , 45 , 46)</u> more...</p>
 <p>16 05 041</p>	<p><u>Brake Shoe</u> Lamda NO.: SG032 Rear Axle Diameter: 200 mm Width : 29 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>CORSA A TR (91 , 92 , 96 , 97)</u> OPEL <u>CORSA A Hatchback (93 , 94 , 98 , 99)</u> more...</p>
 <p>16 05 953</p>	<p><u>Brake Shoe</u> Lamda NO.: SG033 Rear Axle Brake System : OPEL Diameter: 200 mm Width : 46 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Van (55)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> more...</p>
 <p>16 05 969</p>	<p><u>Brake Shoe</u> Lamda NO.: SG034 Rear Axle Brake System : LUCAS Diameter: 230 mm Width : 42 mm</p>	<p>OPEL <u>ASTRA F CLASSIC Estate</u> OPEL <u>ASTRA F Van (55)</u> OPEL <u>ASTRA F Estate (51 , 52)</u> OPEL <u>ASTRA G Saloon (F69)</u> OPEL <u>ASTRA G Coupe (F07)</u> OPEL <u>ASTRA G Hatchback (F48 , F08)</u> more...</p>
 <p>1 014 317</p>	<p><u>Brake Shoe</u> Lamda NO.: SG037 Rear Axle Brake System : BENDIX Diameter : 280 mm Width : 65 mm</p>	<p>OPEL <u>MOVANO Flatbed/Chassis (U9, E9)</u> OPEL <u>MOVANO Combi (J9)</u> OPEL <u>MOVANO Dumptruck (H9)</u> OPEL <u>MOVANO Box (F9)</u> For use: FORD, OPEL, RENAULT, VAUXHALL</p>
 <p></p>	<p><u>Brake Shoe</u> Lamda NO.: SG234</p>	<p>OPEL <u>CAMPO (TF)</u> For use: ISUZU, OPEL, VAUXHALL</p>

 <p>8-94124-862-1</p>	<p>Rear Axle Brake System : AKEBONO Diameter : 254 mm Width : 52 mm</p>	
 <p>1605 478</p>	<p><u>Brake Shoe</u> Lamda NO.: SG624 Rear Axle Diameter : 200 mm Width : 47 mm</p>	<p>OPEL <u>ASCONA C (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA C Hatchback (84 , 89)</u> OPEL <u>KADETT D (31 -34 , 41 -44)</u> OPEL <u>KADETT D (32 ,37 ,39, 42)</u> OPEL <u>KADETT D Estate (35 , 36 , 45 , 46)</u> For use: OPEL、 VAUXHALL</p>
 <p>1605 297</p>	<p><u>Brake Shoe</u> Lamda NO.: SG630 Rear Axle Diameter : 200 mm Width : 46 mm</p>	<p>OPEL <u>ASCONA A (81 , 86 , 87 , 88)</u> OPEL <u>ASCONA A Voyage (84 , 89)</u> OPEL <u>ASCONA B (81 , 86 , 87 , 88)</u> OPEL <u>KADETT C Estate</u> OPEL <u>MANTA A (58 , 59)</u> OPEL <u>MANTA B (58 , 59)</u> more...</p>
 <p>1605 686</p>	<p><u>Brake Shoe</u> Lamda NO.: SG637 Rear Axle Brake System : ATE Diameter : 160 mm Width : 25 mm</p>	<p>OPEL <u>ADMIRAL A</u> OPEL <u>ADMIRAL B</u> OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>ASTRA F Estate (51 , 52)</u> more...</p>
 <p>1605 594</p>	<p><u>Brake Shoe</u> Lamda NO.: SG643 Rear Axle Diameter : 230 mm Width : 50 mm</p>	<p>OPEL <u>COMBO (71)</u> OPEL <u>KADETT D Estate (35 , 36 , 45 , 46)</u> OPEL <u>KADETT E (39 , 49)</u> OPEL <u>KADETT E Combo (38 , 48)</u> OPEL <u>KADETT E Convertible (43B)</u> OPEL <u>KADETT E Hatchback (33 , 34 , 43 , 44)</u> more...</p>
 <p>77363858</p>	<p><u>Brake Shoe</u> Lamda NO.: SG663 Rear Axle Brake System : Lockheed Diameter : 228 mm Width : 42 mm</p>	<p>OPEL <u>CORSA D</u> For use: FIAT、 OPEL、 VAUXHALL</p>
 <p>90166533</p>	<p><u>Brake Shoe</u> Lamda NO.: SG780 Rear Axle Diameter : 200 mm Width : 29 mm</p>	<p>OPEL <u>CORSA A TR (91 , 92 , 96 , 97)</u> OPEL <u>CORSA A Hatchback (93 , 94 , 98 , 99)</u> OPEL <u>KADETT D (31 -34 , 41 -44)</u> OPEL <u>KADETT D (32 ,37 ,39, 42)</u> OPEL <u>KADETT D Estate (35 , 36 , 45 , 46)</u> For use: OPEL、 VAUXHALL</p>
 <p>77 01 201 530</p>	<p><u>Brake Shoe</u> Lamda NO.: SG783 Rear Axle Brake System :</p>	<p>OPEL <u>ARENA Combi (THB)</u> OPEL <u>ARENA Box (TB, TF)</u> For use: OPEL、 RENAULT、 VAUXHALL</p>

	<p align="center">BENDIX Diameter : 255 mm Width : 46 mm</p>	
 <p align="center"><u>9209090</u></p>	<p align="center"><u>Brake Shoe</u></p> <p>Lamda NO.: SG789</p> <p align="center">Rear Axle Diameter : 180 mm Width : 26 mm</p>	<p>OPEL <u>AGILA (H00)</u> For use: OPEL, VAUXHALL</p>
 <p align="center"><u>OPELKFS 023</u></p>	<p align="center"><u>Brake Shoe</u></p> <p>Lamda NO.: SG820</p> <p align="center">Rear Axle Brake System : OPEL Diameter : 200 mm Width : 45 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F Van (55)</u> OPEL <u>ASTRA F Convertible (53 B)</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>ASTRA F Estate (51 , 52)</u> OPEL <u>ASTRA G Saloon (F69)</u> <u>more...</u></p>
 <p align="center"><u>OPELKFS 025</u></p>	<p align="center"><u>Brake Shoe</u></p> <p>Lamda NO.: SG823</p> <p align="center">Rear Axle Brake System : OPEL Diameter : 200 mm Width : 28 mm</p>	<p>OPEL <u>ASTRA F (56 , 57)</u> OPEL <u>ASTRA F CLASSIC Hatchback</u> OPEL <u>ASTRA F Hatchback (53 , 54 , 58 , 59)</u> OPEL <u>CORSA B (73 , 78 , 79 , F35)</u> OPEL <u>CORSA B Box (73)</u> OPEL <u>CORSA C (F08, F68)</u> <u>more...</u></p>